MEADE COUNTY

(Meade County Water Service Area Map)

- Estimated 1999 population of 29,800--54% on public water
- Estimated 2020 population of 42,900--63% on public water
- 180 miles of water lines, with plans for 120 additional miles
- Estimated funding needs for public water 2000-2005--\$6,000,000
- Estimated funding needs for public water 2006-2020--\$1,800,000

Meade County had an estimated population of 29,802 (9,700 households) in 1999 with a projected population of 42,900 (17,400 households) in 2020. If, indeed, this 50 percent projected increase in population occurs, it will have a significant impact on the public water systems. Public water is provided to about 54 percent of the county's residents. In areas of the county not served by public water, about 80 percent of the households rely on private domestic wells and 20 percent the households rely on other sources. About 1,590 customers will be added to public water service through new line extensions in 2000-2020.

Estimated Costs - Proposed Projects, 2000-2005

COUNTY/System		New Customers		Rehab	Source	Treatment	Tanks/ Pumps	Total
	Miles	Number	Cost in \$1000	in \$1000	in \$1000	in \$1000		in \$1000
MEADE								
Meade County Water	90	1,040	4,000				2,000	6,000
District								
TOTAL	90	1,040	4,000				2,000	6,000

Estimated Costs - Proposed Projects, 2006-2020

COUNTY/System		New		Rehab	Source	Treatment	Tanks/	Total
		Customers					Pumps	
	Miles	Number	Cost in \$1000	in \$1000				
MEADE								,
Brandenburg Water Works	5	46	300					300
Meade County Water District	23	500	1,500					1,500
TOTAL	28	546	1,800				,	1,800

PUBLIC WATER SYSTEMS

Meade County Water District, the Brandenburg Water Works, Muldraugh Water Supply, Doe Valley Utilities, Inc., the Ekron Water Systems, and 5 non-community systems presently provide the residents of Meade County water.

WATER SERVICE AREAS MEADE COUNTY Kentucky

Prepared By: Water Resource Development Commission

Department for Local Government 1024 Capital Center Drive, Suite 340 Frankfort, Kentucky 40601-8204 502-573-2382 -- 502-573-2939 fax http://dlgnt1.state.ky.us/wrdc/

Bob Arnold, Chairman Lawrence Wetherby, Executive Director

Final GIS & Cartographic Operations By: Kent Anness & Kim Prough

Data Collection & GIS Input By: Kentucky Area Development Districts










LIMITATION OF LIABILITY: The Water Resource Development Commission has no reasor to believe that there are any inaccuracies or defects in information incorporated in this worl and make no representations of any kind, including, but not limited to, the warranties of merchantability or fitness for a particular use, nor any such warranties to be implied, with recent to the information or data furpheted herois.



MEADE COUNTY WATER DISTRICT

PWSID:	0369
System Type:COMMU	NITY
Owner Type:WATER DIST	RICT
Surface Source:	
Purchase Source:	
Well Source:	Yes
Sells Water to:	
Treatment Plant Capacity (MGD):	. 0.00
Percent Daily Average Production:	. 3.00
Total Tank Storage Capacity (gallons):	00.00
Total Service Connections:	
Number of Employees:	. 8.00
Treatment Operator Class:	
Distribution Operator Class:	. 2BD
Customer Rate for 1,000 Gallons:	. 8.01
O/M costs 1997:	83.00
O/M costs per Service Connection:	
Net Revenue 1997: 156,10	02.00
Total Water Produced 1997 (gallons):	
Water Sold 1997 (gallons): 100,025,04	46.00
Unaccounted-for Water 1997 (%):	. 3.36

Meade County Water District purchases its water from two primary sources: Brandenburg Water Works and Hardin County Water District #1. According to the respective Water Supply Plans, they have an adequate supply of water. The District currently services 1,820 customers in Meade County. The Brandenburg Water Works Water Treatment Plant has a treatment capacity of 701,000 gallons per day. The plant treated an average of 533,236 gallons per day in 1997, or roughly at 76% capacity. The City of Brandenburg is currently in the process of upgrading its water treatment plant, this should alleviate any problems with diminished capacity. The Pirtle Spring Water Treatment Plant for Hardin County Water District #1 has a treatment capacity of 3.0 million gallons per day and averaged 1,973,850 gallons treated per day or roughly 66% of capacity. The District's storage system consists of two storage tanks located at various points within its service area. The total storage capacity of the district is 400,000 gallons.

After the Payneville-Battletown Water Expansion Project is completed, there are no areas to be serviced within the Meade County Water District service area. For all intents and purposes, the District will be roughly 100% serviced. Currently there are 1,820 customers. After completion of the above-referenced project there will be approximately 2,420 total customers in Meade County Water District.

BRANDENBURG WATER WORKS

PWSID:	0820041
System Type:	COMMUNITY
Owner Type:	
Surface Source:	
Purchase Source:	
Well Source:	Yes
Sells Water to:	
Treatment Plant Capacity (MGD):	0.70
Percent Daily Average Production:	66.00
Total Tank Storage Capacity (gallons):	300,000.00
Total Service Connections:	1,041.00
Number of Employees:	4.00
Treatment Operator Class:	
Distribution Operator Class:	3A
Customer Rate for 1,000 Gallons:	3.77
O/M costs 1997:	Not available
O/M costs per Service Connection:	Not available
Net Revenue 1997:	Not available
Total Water Produced 1997 (gallons):	Not available
Water Sold 1997 (gallons):	Not available
Unaccounted-for Water 1997 (%):	

Brandenburg Water Works obtains water from two wells adjacent to the Ohio River, #6 well and #7 well. According to the Meade County Water Supply Plan there is an adequate supply of water to service the City of Brandenburg. The Water Works currently services 1,041 customers in Meade County. The Brandenburg Water Works Water Treatment Plant has a treatment capacity of 701,000 gallons per day. The plant treated an average of 533,236 gallons per day in 1997, or roughly at 76% capacity. The City of Brandenburg is currently in the process of upgrading its water treatment plant, this should alleviate any problems with diminished capacity. The Water Works' storage system consists of two storage tanks located at various points within its service area. The total storage capacity of the Water Works is 300,000 gallons.

There are two expansion projects proposed by the Brandenburg Water Works involving new customers. When completed, there will no longer be a need to expand service beyond this as roughly 100% of residents within the service area will be provided with water. Currently there are 1,041 customers. After completion of the above referenced projects there will be approximately 1,087 total customers in Brandenburg Water Works. The Water Plant Upgrade Project has already begun.

MULDRAUGH WATER SUPPLY

PWSID:	0820481
System Type:	COMMUNITY
Owner Type:	MUNICIPAL
Surface Source:	
Purchase Source:	
Well Source:	
Sells Water to:	
Treatment Plant Capacity (MGD):	0.00
Percent Daily Average Production:	0.00
Total Tank Storage Capacity (gallons):	
Total Service Connections:	300.00
Number of Employees:	3.00
Treatment Operator Class:	1D
Distribution Operator Class:	
Customer Rate for 1,000 Gallons:	Not available
O/M costs 1997:	Not available
O/M costs per Service Connection:	Not available
Net Revenue 1997:	Not available
Total Water Produced 1997 (gallons):	Not available
Water Sold 1997 (gallons):	Not available
Unaccounted-for Water 1997 (%):	Not available
DOE VALLEY UTILITIES INCORPORA	ATED
DOE VALLET OTILITIES INCORPOR	<u>AIEU</u>
PWSID:	
PWSID:	
PWSID:	0820641 COMMUNITY PRIVATE
PWSID:	0820641 COMMUNITY PRIVATE
PWSID:	0820641 COMMUNITY PRIVATE
PWSID: System Type: Owner Type: Surface Source: Purchase Source: Well Source:	0820641 COMMUNITY PRIVATE
PWSID: System Type: Owner Type: Surface Source: Purchase Source: Well Source: Sells Water to:	
PWSID: System Type: Owner Type: Surface Source: Purchase Source: Well Source: Sells Water to: Treatment Plant Capacity (MGD):	
PWSID: System Type: Owner Type: Surface Source: Purchase Source: Well Source: Sells Water to: Treatment Plant Capacity (MGD): Percent Daily Average Production:	
PWSID: System Type: Owner Type: Surface Source: Purchase Source: Well Source: Sells Water to: Treatment Plant Capacity (MGD): Percent Daily Average Production: Total Tank Storage Capacity (gallons):	
PWSID: System Type: Owner Type: Surface Source: Purchase Source: Well Source: Sells Water to: Treatment Plant Capacity (MGD): Percent Daily Average Production: Total Tank Storage Capacity (gallons): Total Service Connections:	
PWSID: System Type: Owner Type: Surface Source: Purchase Source: Well Source: Sells Water to: Treatment Plant Capacity (MGD): Percent Daily Average Production: Total Tank Storage Capacity (gallons): Total Service Connections: Number of Employees:	
PWSID: System Type: Owner Type: Surface Source: Purchase Source: Well Source: Sells Water to: Treatment Plant Capacity (MGD): Percent Daily Average Production: Total Tank Storage Capacity (gallons): Total Service Connections: Number of Employees: Treatment Operator Class:	
PWSID: System Type: Owner Type: Surface Source: Purchase Source: Well Source: Sells Water to: Treatment Plant Capacity (MGD): Percent Daily Average Production: Total Tank Storage Capacity (gallons): Total Service Connections: Number of Employees: Treatment Operator Class: Distribution Operator Class:	
PWSID: System Type: Owner Type: Surface Source: Purchase Source: Well Source: Sells Water to: Treatment Plant Capacity (MGD): Percent Daily Average Production: Total Tank Storage Capacity (gallons): Total Service Connections: Number of Employees: Treatment Operator Class: Distribution Operator Class: Customer Rate for 1,000 Gallons:	0820641
PWSID: System Type: Owner Type: Surface Source: Purchase Source: Well Source: Sells Water to: Treatment Plant Capacity (MGD): Percent Daily Average Production: Total Tank Storage Capacity (gallons): Total Service Connections: Number of Employees: Treatment Operator Class: Distribution Operator Class: Customer Rate for 1,000 Gallons: O/M costs 1997:	
PWSID: System Type: Owner Type: Surface Source: Purchase Source: Well Source: Sells Water to: Treatment Plant Capacity (MGD): Percent Daily Average Production: Total Tank Storage Capacity (gallons): Total Service Connections: Number of Employees: Treatment Operator Class: Distribution Operator Class: Customer Rate for 1,000 Gallons: O/M costs 1997: O/M costs per Service Connection:	
PWSID: System Type: Owner Type: Surface Source: Purchase Source: Well Source: Sells Water to: Treatment Plant Capacity (MGD): Percent Daily Average Production: Total Tank Storage Capacity (gallons): Total Service Connections: Number of Employees: Treatment Operator Class: Distribution Operator Class: Customer Rate for 1,000 Gallons: O/M costs 1997: O/M costs per Service Connection: Net Revenue 1997:	
PWSID: System Type: Owner Type: Surface Source: Purchase Source: Well Source: Sells Water to: Treatment Plant Capacity (MGD): Percent Daily Average Production: Total Tank Storage Capacity (gallons): Total Service Connections: Number of Employees: Treatment Operator Class: Distribution Operator Class: Customer Rate for 1,000 Gallons: O/M costs 1997: O/M costs per Service Connection: Net Revenue 1997: Total Water Produced 1997 (gallons):	
PWSID: System Type: Owner Type: Surface Source: Purchase Source: Well Source: Sells Water to: Treatment Plant Capacity (MGD): Percent Daily Average Production: Total Tank Storage Capacity (gallons): Total Service Connections: Number of Employees: Treatment Operator Class: Distribution Operator Class: Customer Rate for 1,000 Gallons: O/M costs 1997: O/M costs per Service Connection: Net Revenue 1997:	

EKRON WATER SYSTEM

Ekron Water System is located in Meade County. The system serves a population of 244 and has 74 service connections. The municipal, community system has treatment capacity of 94,000 gallons per day. The water source is wells.

Other Systems

BATTLETOWN ELEM SCHOOL

Battletown Elem School is located in Meade County. The system serves a population of 91 and has 1 service connection. The local, non-transient, non-community system has treatment capacity of 12,960 gallons per day. The water source is wells.

EKRON ELEMENTARY SCHOOL

Ekron Elementary School is located in Meade County. The system serves a population of 315 and has 1 service connection. The local, non-transient, non-community system has treatment capacity of 21,600 gallons per day. The water source is wells.

PAYNEVILLE ELEMENTARY SCHOOL

Payneville Elementary School is located in Meade County. The system serves a population of 225 and has 1 service connection. The local, non-transient, non-community system has treatment capacity of 12,960 gallons per day. The water source is wells.

OLIN CHEMICALS GROUP-DOE RUN

Olin Chemicals Group-Doe Run is located in Meade County. The system serves a population of 650 and has 1 service connection. The private, non-transient, non-community system has treatment capacity of 288,000 gallons per day. The water source is wells.

OTTER CREEK PARK

Otter Creek Park is located in Meade County. The system serves a population of 600 and has 238 service connections. The local, non-transient, non-community system has treatment capacity of 72,000 gallons per day. The water source is surface water from Otter Creek.

PRIVATE DOMESTIC SYSTEMS

About 13,700 people in Meade County rely on private domestic water supplies: 11,000 on wells, and 2,700 on other sources.

In northern Meade County nearly all drilled wells in the alluvium of the Ohio River valley are adequate for domestic use with many wells yielding several hundred gallons per minute (gpm). Compound horizontal wells set in the alluvium may yield 5,000 gpm, which is sufficient for a community or industrial supply. In the western corner of Meade County most drilled wells are adequate for a domestic supply. Depths of adequate wells range from 100 to 300 feet. In much of central and eastern Meade County except in the lowlands of the mayor creeks and rivers, about three-forth of the wells drilled yield enough water for a domestic supply. In the lowlands very few wells yield enough water for a domestic supply except in a few lowland areas bordering streams where yields are sufficient for a few wells to meet the supply needs for domestic use.

Springs with flows ranging from a few gallons per minute too 2266 gpm are found throughout the county. Many of the springs are of the depression type and yield more than 100 gpm when pumped. The larger springs in the county have sufficient flows to be utilized for public or industrial water supplies.